

PABX SYSTEM FEATURES

The Required PABX System must have the following Features:

- Latest Digital Non IP based PABX system & Non Computer Server Based PABX System
- • Automatic ISDN Setting (BRI)
- • Automatic Route Selection (ARS) / Least Cost Routing (LCR)
- • Background Music (BGM)
- • Budget Management
- • Busy on Busy
- • Call Park with Indication
- • Call Pickup Group
- • Call distribution by Caller ID
- • Class of Service (COS)
- • CTI (CSTA, TAPI)
- • Data Line Security
- • Delayed Ringing
- • Direct In Lines (DIL)
- • Direct Inward Dialing (DID)
- • Direct Inward System Access (DISA)
- • Door-Phone / Door Opener
- • Echo Cancellation
- • Extension Lock
- • Emergency Call
- • Existing APT / DPT Compatibility
- • External BGM
- • Flexible Numbering Plan (4-digits)
- • Floating Extension
- • Greeting Message
- • Host PBX Access Code
- • Hunting Group
- • Hurry-Up Transfer
- • Incoming Group (Hunting Group)
- • Intercept Routing - Busy / DND
- • Intercept Routing - No Answer
- • Intercept to Trunk
- • Line Monitor (CO)
- • Main Processing (MPR), Card / CS software download
- • Manager Functions
- Multiple Language Support

- • Online Diagnostics
- • Operator Functions
- • PC Console / PC Phone
- • PC Programming
- • Paging Group
- • Quick Setup
- • Remote Alarm Notification
- • Remote Extension Status Control through DISA
- • Remote Extension Lock
- • Ring Group
- • Special Carrier Access
- • Station Message Detail Recording (SMDR)
- • SMDR 24 Hour and 12 Hour Time Format
- • SMDR Caller ID Printing
- • System Memory Expansion
- • Tenant Service
- • Timed Reminder
- • Time Service (Day / Night / Lunch / Break)
- • Toll Restriction
- • Trunk Group
- • Uniform Call Distribution (UCD)
- • User Group
- • VIP-Call
- • Visual Caller ID
- <Voice Mail (VM) Features>
- • Automatic Configuration - Quick Setup
- • Call Forwarding to VM
- • Caller's Identification Notification to VM
- • Intercept Routing to VM
- • Telephone Display, Menu driven VM operation
- • Live Call Screening (LCS)
- • Remote PBX Data Control by VM
- • VM Data Control by PBX
- • VM (Digital / DTMF) Integration
- • VM Group
- • VM Mail Transfer
- • VM Message Number display on DPT LCD
- Extension Features
- • 4-Party Conference with Broadcasting up to 32-Party
- • Absent Message

- • Account Code Entry (Forced)
 - • Automatic Redial
 - • Boss - Secretary
 - • Broadcasting
 - • Caller ID to Single Line Telephone
 - • Call Forwarding (All Calls, Busy, Busy / No Answer, No Answer, Follow Me, From Incoming Group)
 - • Call Hold
 - • Call Pickup (Directed, Group, DSS, Deny)
 - • Call Transfer (Screened, Unscreened, One-Touch Transfer, Transfer Recall)

 - Conference (5-Party Conference, Multi Party Conference)
-